CONTRACT SANRAL N.003-014-2023/9

MANUFACTURE OF PRECAST CONCRETE BARRIERS TO BE USED AS A TEMPORARY VEHICLE RESTRAINT SYSTEM FOR THE UPGRADING OF NATIONAL ROUTES 2 AND 3 IN THE EASTERN REGION

CALL FOR QUOTATIONS FOR THE SUPPLY OF CURING COMPOUND

For enquiries contact:

Pamela Msholoolo

Procurement Manager

076 726 9066

Rcl1-helpdesk@cpmc.co.za

Important Notice **No submission(s) transmitted by fax will be accepted.** **Quotations to be sent electronically via:** **email: rcl1-helpdesk@cpmc.co.za** **Clarification meeting: At Martin and East (Pty) Ltd RCL 1 Site Camp, Camperdown on the 25 November 2021 @ 10:00** **Closing date & time of submission: 03 December 2021 @ 14:00**
CALL FOR QUOTATIONS FOR THE SUPPLY OF CURING COMPOUND **CONTRACT SANRAL N.003-014-2023/9** **MANUFACTURE OF PRECAST CONCRETE BARRIERS TO BE USED AS A TEMPORARY VEHICLE RESTRAINT SYSTEM FOR THE UPGRADING OF NATIONAL ROUTES 2 AND 3 IN THE EASTERN REGION** **STRICTLY FOR Exempted Micro Enterprise (EME) OR Qualifying Small Enterprise (QSE) ≥ 51% Black Ownership; refer to section 3 Required Documents for Targeted Groups**
NAME OF APPLICANT:
Documents to be Submitted: 1 pdf document emailed to: rcl1-helpdesk@cpmc.co.za
Submissions must be emailed as indicated no later than the date and time indicated above. MARTIN AND EAST do not take any responsibility for any submissions emailed to the wrong email address. **MARTIN AND EAST is not subject to accept the lowest or any price offered.**

INVITE TO QUOTE

MARTIN AND EAST (Pty) Ltd under CONTRACT SANRAL N.003-014-2023/9, hereby invites current and prospective suppliers to submit Quotations for Site Security Service.

MANUFACTURE OF PRECAST CONCRETE BARRIERS TO BE USED AS A TEMPORARY VEHICLE RESTRAINT SYSTEM FOR THE UPGRADING OF NATIONAL ROUTES 2 AND 3 IN THE EASTERN REGION:

A Call for quotations for the Supply of:

- ***Wax based curing compound***

LOCATION


SITE 1: RCL1 IN CAMPERDOWN
Camperdown
Camperdown
R103
Bishop St
Image © 2019 Maxar Technologies
© 2018 AfriGIS (Pty) Ltd
© 2018 Google
Google Earth
2005
Imagery Date: 6/7/2018 29°43'47.55" S 30°34'21.22" E elev 2429 ft eye alt 16054 ft

Instructions to Suppliers:

1. All quotations must be on a Company letterhead.
2. All the required and supporting company documentation must be submitted jointly with the quotation.
3. Failure to submit supporting and requested information will lead to your company not being considered.
4. Quotation **must indicate** the Specification of the product supplied and shall adhere to the specification listed below.

B6409 CURING AND PROTECTION

Add the following to the end of sub-clause 6409(f):

"Where a curing compound is used, it shall consist of an approved water based low viscosity clear wax emulsion applied in accordance with the manufacturer's instructions."

Add the following paragraphs to the end of this sub-clause:

"Where curing by retention of formwork is used as the only method of curing the concrete, it must be left in place for the minimum period specified in Table 6206/1 but in no instance shall it be less than 7 days.

The materials used for formwork shall take into account properties such as thermal insulation and moisture absorption when assessing the suitability of the material, to the approval of the engineer.

If impermeable curing membranes are to be used as a curing method, they shall be installed at the same time as formwork is removed and no portion of a concrete surface may be left unprotected for a period in excess of 2 hours. If the surface is an unformed finish e.g. top of deck slab, then the surface must be protected immediately by appropriate methods approved by the engineer after it is finished, without damage to that surface, since it is vulnerable to plastic shrinkage cracking due to high rates of evaporation while the concrete is still in a plastic state. Plastic shrinkage and settlement shall not be permitted on any of the structural elements since it compromises the durability of the concrete. In order to prevent early settlement and shrinkage of the concrete, the concrete placed shall be re-vibrated after initial compaction while the concrete is still in a plastic state. Any remedial measures shall be as approved in writing by the engineer. On bridge decks, the top surface shall be cured using the method described in clause 6409(d) i.e. "Constantly spraying the entire area of exposed surfaces with water".

For all concrete curing shall be excluded from the make-up of rates for measurement under items B64.01 and B64.02 and will paid for separately under pay item B64.07. Where the application of a curing compound is used, the type and nominal application rate thereof shall be as specified in the schedule of quantities or to the manufacturer's nominal specified rates."

1. REQUIRED DOCUMENTS

i. Proof of company registration; CIPC Certificate indicating:

- An Exempted Micro Enterprise (EME) or Qualified Small Enterprise (QSE) which is at least 51% owned by black people.
- An EME or QSE which is at least 51% owned by black people who are youth.
- An EME or QSE which is at least 51% owned by black people who are women.
- An EME or QSE which is at least 51% owned by black people with disabilities.
- An EME or QSE which is 51% owned by black people living in rural or underdeveloped areas or townships.
- A cooperative which is at least 51% owned by black people.
- An EME or QSE which is at least 51% owned by black people who are military veterans; or
- More than one of the categories referred to above.

ii. Tax clearance Pin number issued by SARS

iii. Proof of registration with the National Treasury Central Supplier Database (CSD)

iv. Proof of compliancy with the Compensation for Occupational Injuries and Diseases (COID)

v. Proof of address indicating that the applicant is a local supplier. Provide utility bill, e.g., municipal water and lights account or property managing agent statement, bank statement or an official bank document or form. Municipal councilor's letter or Tax certificate, etc.

vi. Functionality:

a. Will be scored on the 80/20 point scoring where 80% is for Price and 20% for B-BBEE as per table below:

B-BBEE Status Level of contributor	Number of Points for financial value up to and including R50 000 000
1	20
2	18
3	14
4	12

b. Locality:

	Location of Business	Points
Locality (Max 50 Points)	Tenderer is based in the preferred town.	50
	Tenderer is based in the preferred Local Municipality.	30
	Tenderer is based outside the Local Municipality, but in the District Municipality.	20
	Tenderer is based outside the District Municipality, but in the Province.	10
	Tenderer is based outside the Province, but in the RSA.	5

- The Preferred Town is Camperdown:
- Local Municipality is Mkhambathini
- The District Municipality is uMgungundlovu.
- Province is Kwa-Zulu Natal

BOQ

Item No.	Description	Unit	Qty	Rate	Amount
	To Supply the following:				
1	Wax based curing compound complying to the performance specifications of ASTM C309 – 81	/200l Drum	20		
2	Wax based curing compound complying to the performance specifications of ASTM C309 – 81 supplied with flowbin	l	16000		
				Total Quoted Value	